

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

George G. Klee

Serial No.:

09/853,867

Examiner: Unknown

CLINICAL ASSAY CALIBRATION ADJUSTMENT METHOD

Commissioner for Patents Washington, D.C. 20231

INFORMATION DISCLOSURE STATEMENT

Applicant submits the references listed on the attached form PTO-1449, copies of which are enclosed.

This statement is being filed within three months of the filing date of the application or before the receipt of a first Office action on the merits. Please apply any charges or credits to Deposit Account No. 06-1050.

Respectfully submitted,

H. Sanders Gwin

Reg. No. 33,242

Fish & Richardson P.C., P.A. 60 South Sixth Street **Suite 3300**

Minneapolis, MN 55402 Telephone: (612) 335-5070 Facsimile: (612) 288-9696

60051551.doc

CERTIFICATE OF MAILING BY FIRST CLASS MAIL

I hereby certify under 37 CFR §1.8(a) that this correspondence is being deposited with the United States Postal Service as first class mail with sufficient postage on the date indicated below and is addressed to the Commissioner for Patents, Washington, D.C. 20231.

Date of Deposit

Signature

Trisha J. Anderson

Typed or Printed Name of Person Signing Certificate